

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.03.2017

Version number 104

Revision: 15.03.2017

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name NFLY**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Lubrificant
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Riepe GmbH & Co. KG
Theodor Rosenbaum Str. 28-30
32257 Bünde - Deutschland
Tel.: +49 (0) 5223 - 687407-0
Fax: +49 (0) 5223 - 687407-50
E-Mail: info@riepe.eu
- **Informing department:**
Tel.: +49 (0) 5223 - 687407-0
E-mail: info@riepe.eu
- **1.4 Emergency telephone number:**
Poison Control Center, Mainz
Tel. 00 49 / 61 31 / 19 240

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**
Flam. Liq. 3 H226 Flammable liquid and vapour.
- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS02

- **Signal word** Warning
- **Hazard statements**
H226 Flammable liquid and vapour.
- **Precautionary statements**
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.
P403+P235 Store in a well-ventilated place. Keep cool.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.03.2017

Version number 104

Revision: 15.03.2017

Trade name NFLY

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

- 3.2 Mixtures

- **Description:** Mixture of the substances listed below with harmless additions

- Dangerous components:

CAS: 64-17-5 EINECS: 200-578-6 Reg.nr.: 01-2119457610-43	ethanol	Flam. Liq. 2, H225; Eye Irrit. 2, H319	25-50%
--	---------	--	--------

- **Additional information** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures

- **General advice:** Instantly remove any clothing soiled by the product.

- **After inhalation** Supply fresh air; consult doctor in case of symptoms.

- After skin contact

In general the product does not cause skin irritation.

Wash with soap and water.

- After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

- After swallowing

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; instantly call for medical help.

- 4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media

- Suitable extinguishing agents

CO₂, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

- **For safety reasons unsuitable extinguishing agents** Water with a full water jet.

- 5.2 Special hazards arising from the substance or mixture

Can form explosive gas-air mixtures. In case of incomplete combustion carbon monoxide can arise. Fumes are heavier than air and distributed over ground. Inflammation is possible from a far distance.

- 5.3 Advice for firefighters

- **Protective equipment:** See section 8.

- Additional information

Endangered containers in the surrounding area should be cooled with a water-hose.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment and keep unprotected persons away.

Extinguish naked flames. Remove flammable sources. No smoking. Avoid sparks. Avoid contact with skin, eyes and clothing. Avoid inhalation of fumes. Air contaminated rooms thoroughly. Protect against electrostatic sparks.

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.03.2017

Version number 104

Revision: 15.03.2017

Trade name NFLY

(Contd. of page 2)

- 6.2 Environmental precautions:

Prevent material from reaching sewage system, holes and cellars.

Dilute with much water.

If large amounts are released, the authorities must be informed.

- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to item 13.

- 6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Keep containers tightly sealed.**- Information about protection against explosions and fires:**

Ensure good ventilation/exhaustion at the processing machines.

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- 7.2 Conditions for safe storage, including any incompatibilities**- Storage**

Protect against direct sunlight, other sources of heat and ignition.

Store in cool, dry conditions in well sealed containers.

- Requirements to be met by storerooms and containers:

Observe official regulations on storage and handling of water hazardous substances

- Information about storage in one common storage facility: Store away from oxidising agents.**- Further information about storage conditions:**

Pay attention to regulations/technical rules for the storage of combustible liquids.

- Storage class 3 (VCI - Konzept, 2007)**- 7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical systems:

Room ventilation i.e. vacuum suction. Measures to be taken against electro-static sparks.

- 8.1 Control parameters**- Components with critical values that require monitoring at the workplace:****64-17-5 ethanol**WEL Long-term value: 1920 mg/m³, 1000 ppm**- Additional information:** The lists that were valid during the compilation were used as basis.**- 8.2 Exposure controls****- Personal protective equipment****- General protective and hygienic measures**

Keep away from food, beverages and fodder.

Instantly remove any soiled and impregnated garments.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

Gases, fumes and aerosols should not be inhaled.

- Breathing equipment: Not necessary if room is well-ventilated.**- Recommended filter device for short term use:** Combination filter A-P2

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.03.2017

Version number 104

Revision: 15.03.2017

Trade name NFLY

(Contd. of page 3)

- **Protection of hands:** Solvent resistant gloves
- **Material of gloves**
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.
- **Penetration time of glove material** Change gloves if notice sign of disenchantment.
- **As protection from splashes gloves made of the following materials are suitable:**
Chloroprene rubber, CR, recommended thickness of the material: ≥ 0.5 mm, penetration time: ≥ 30 min.
- **Eye protection:** Tightly sealed safety glasses.
- **Body protection:**
Standard protective clothing. Chemical resistant safety-shoes or boots. If skin contact is possible, wear impenetrable protective clothing against this solvent.

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties

- General Information

- Appearance:

Form:	Liquid
Colour:	Green
Smell:	Alcohol-like
Odour threshold:	Not determined.

- pH-value: Not determined.

- Change in condition

Melting point/freezing point:	~ -40 °C
Initial boiling point and boiling range:	~ 82 °C

- Flash point: 25 °C

- Inflammability (solid, gaseous) Not applicable.

- Ignition temperature: 425 °C
Data for ethanol.

- Decomposition temperature: Not determined.

- Self-inflammability: Product is not selfigniting.

- Explosive properties: Product is not explosive. However, formation of explosive air/steam mixtures is possible.

- Critical values for explosion:

Lower:	3.5 Vol %
Upper:	15.0 Vol %
	Data for ethanol.

- Vapour pressure at 20 °C: ~ 40 hPa

- Density at 20 °C ~ 0.92 g/cm³
 - Relative density Not determined.
 - Vapour density Not determined.
 - Evaporation rate Not determined.

- Solubility in / Miscibility with
Water: Fully miscible

- Partition coefficient: n-octanol/water: Not determined.

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.03.2017

Version number 104

Revision: 15.03.2017

Trade name NFLY

(Contd. of page 4)

- | | |
|--------------------------------|--|
| - Viscosity: | |
| dynamic: | Not determined. |
| kinematic: | Not determined. |
| - 9.2 Other information | No further relevant information available. |

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** Avoid all sources of ignition: heat, sparks, open flames.
- **10.5 Incompatible materials:** strong oxidizing agents
- **10.6 Hazardous decomposition products:**
Formation of carbon monoxide and carbon dioxide in case of fire.

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values that are relevant for classification:**

64-17-5 ethanol

Oral	LD50	10470 mg/kg (rat)
Dermal	LD50	> 2000 mg/kg (rab)
Inhalative	LC 50 / 4 h	> 20 mg/l (mouse)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Must not reach sewage water or drainage ditch without dilution or neutralization.

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.03.2017

Version number 104

Revision: 15.03.2017

Trade name NFLY

(Contd. of page 5)

Water hazard class 1 (Self-assessment): slightly hazardous for water.

- 12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- 13.1 Waste treatment methods

The following advice is related to new material and not to any processed products. In case of a mixture with other products other disposal methods may become necessary. If in doubt seek advice from product supplier or from local authorities.

- Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. If possible, send to be recycled, otherwise burn or deposit in a certified facility.

- Waste disposal key number:

Since 01/01/99 the waste code numbers have not only been product-related but are also essentially application-related. The valid waste code number of the application can be obtained from the European waste catalogue.

- **Uncleaned packagings:** Disposal must be made according to official regulations.

- Recommendation:

Rented packaging: After optimal emptying, close immediately and return to the supplier without cleaning. Care should be taken that no other materials get into the packaging.

Other containers: After complete emptying and cleaning, send to be reconditioned or recycled.

Caution: Leftovers in the containers may cause the risk of explosion.

Uncleaned containers should not be perforated, cut or welded.

- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

SECTION 14: Transport information

<p>- 14.1 UN-Number - ADR, IMDG, IATA</p>	<p>UN1170</p>
<p>- 14.2 UN proper shipping name - ADR - IMDG</p>	<p>1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION) ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)</p>
<p>- 14.3 Transport hazard class(es) - ADR - Class - Label</p>	<p>3 (F1) Flammable liquids. 3</p>
<p>- IMDG, IATA - Class - Label</p>	<p>3 Flammable liquids. 3</p>
<p>- 14.4 Packing group - ADR, IMDG, IATA</p>	<p>III</p>
<p>- 14.5 Environmental hazards:</p>	<p>Not applicable.</p>

(Contd. on page 7)

— GB —

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.03.2017

Version number 104

Revision: 15.03.2017

Trade name NFLY

(Contd. of page 6)

- Marine pollutant:	No
- 14.6 Special precautions for user	Warning: Flammable liquids.
- Kemler Number:	30
- EMS Number:	F-E,S-D
- 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	Not applicable.
- Transport/Additional information:	
- ADR	
- Limited quantities (LQ)	5L
- Transport category	3
- Tunnel restriction code	D/E
- UN "Model Regulation":	UN1170, ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, III

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS02

- **Signal word** Warning
- **Hazard statements**
H226 Flammable liquid and vapour.
- **Precautionary statements**
P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.
P403+P235 Store in a well-ventilated place. Keep cool.
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Directive 2012/18/EU**
- **Qualifying quantity (tonnes) for the application of lower-tier requirements** 5.000 t
- **Qualifying quantity (tonnes) for the application of upper-tier requirements** 50.000 t
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3
- **National regulations**
- **Information about limitation of use:**
Employment restrictions concerning young persons must be observed.
- **VOC**
49.9% volatile organic compounds (Swiss Ordinance on the Incentive Tax on Volatile Organic Compounds).
- **Other regulations, limitations and prohibitive regulations** No HAP

(Contd. on page 8)

— GB —

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.03.2017

Version number 104

Revision: 15.03.2017

Trade name NFLY

(Contd. of page 7)

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Relevant phrases

Complete wording of hazard statements and risk phrases (H- and R-phrases) mentioned in section 3. These phrases refer to the constituents. The labelling for this product is stated in section 2.

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

- **Department issuing data specification sheet:** see item 1: Informing department

- Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

LEV: Local Exhaust Ventilation

RPE: Respiratory Protective Equipment

RCR: Risk Characterisation Ratio (RCR= PEC/PNEC)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

CLP: Classification, Labelling and Packaging (Regulation (EC) No. 1272/2008)

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

TRGS: Technische Regeln für Gefahrstoffe (Technical Rules for Dangerous Substances, BAuA, Germany)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 2: Flammable liquids – Category 2

Flam. Liq. 3: Flammable liquids – Category 3

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2